

MyInteger settings

- [MyInteger Settings](#)
- [Customer Loyalty Points Scheme Options](#)

MyInteger Settings

When changing myInteger settings you must be 100% you are changing the right option.

Changing the wrong option can cause issues for the shops and wasted time looking into problems

Each option has a full description below it to help

If you are not 100% before you make the change please send a message to the [@onlineordering](#) team and one of us will confirm.

GLOBAL

ClosedForCorona = Will have a specific closed message for Corona Virus

IntegerTesting = only allow integer IPs.

TestMode = Will allow anyone online at any time

AppTestMode = Will allow anyone with the app to place an order (used for testing with App Store)

AppiOS_TestMode = Will allow anyone with the iOS v6 app to place an order (used for testing with App Store)

AppiOS_TestMode_Version = Will allow anyone with the specified version of the iOS v6 app to place an order (used for testing with App Store)

App6Android_TestMode = Will allow anyone with the ANDROID v6 app to place an order (used for testing)

App6Android_TestMode_Version = Will allow anyone with the specified version of the ANDROID v6 app to place an order (used for testing)

FullTestMode = Will force Shop Online and Shop Open at all times

DefaultTermsConditions = Will use template (http://stylesv8.integer2.co.uk/default_terms.html) for terms and conditions.

TermsConditionsURL = Will load a URL for T&C in a new window

DisableIDP = Will disable the IronDomeProtection for this site.

StyleZ_Enabled = Will force StyleZ stylewide

StyleZ_Class = Apply additional body class when using StyleZ (Used for multi-stores for replacement of StyleZ Class)

ECOM_MODE = Will force e-commerce mode : no preorder (all orders assumed for delivery)

SHOP_MODE = Will force out of food shopping mode and into normal mode

RemoveFromLOF

= Will not include this site in LetsOrderFood portal

UseIntegerMaps = ****BETA**** Will use IntegerMaps & HereMaps rather than Google Maps (will be discontinued)

CalcDistanceAsBicycle = Will force "bicycle" mode on the HEREmaps function to ensure no motorways are used

EnableContactFreeDelivery = Will enable the option for Contact Free Delivery {0=not enabled;1=enabled (default:off);2=enabled (default:on)}

BespokePageTitle = Page Title

BespokeHostName = IF set then site will be forced to use that hostname

PageTitleText = Will update pagetitletext with the title of the page, e.g.

"default=Welcome,menu=Menu,startpage=Order Details,completeform=Finish your order,"

ECOM_DeliveryCharge = Sets the charges for the country selection e.g.

"GB=500;DE,FR,IE,GR=1000;US,CA=2000"

TABLEMODE = Will allow TableMode to be activated {0=Disabled;1=Enabled from any IP;2=Enabled, must be on the same IP as shop}

TABLEMODE_ForceBeforeOrder = overwrites the BeforeOrder message sent from InTouch when in TabletMode

OrderingFoodAllergnTxt = Will replace the default "Food allergens? Please contact the shop on {Shop_Tel}" message

FoodAllergnDisplay = Where to display the OrderingFoodAllergnTxt {0=Complete form only;1=Course Descriptions & Complete form;2=BeforeOrder/AppPopup, Course Desc, Complete form;3=OFF}

EnableFooterAllergen = Will display allergen in footer key

WebsiteURL = The URL of your homepage

FacebookURL = The link to your Facebook page

TwitterAC = Twitter Username

InstagramURL = The link to your Instagram

LinkedinURL = LinkedIn URL

HomePageDomain = The domain tld for this site

HomePageSSL = Will enable HTTPS on the HomePageDomain

AppDownloadURL = if not using Integer's standard homepage (and HomePageDomain) this will provide InTouch a link to the app

HomePageHeaderText = will overwrite Text1 from inTouch or the homepage tagline

ShopMenuPDF = will use style\menu.pdf

HomePagePromos

= Only available if using Integer's landing page

ViewMenu,Signup,WidgetTop,WidgetBottom,Facebook,Twitter {100000=Only View Menu;010000=Only Signup;001000=Only Top Widget;000100=Only Bottom Widget;000010=Only Facebook (FacebookURL required);000001=Only Twitter (TwitterAC required);110000=View Menu & Signup;111000=View Menu, Signup & Top Widget;111100=View Menu, Signup, Top Widget & Bottom Widget;111110=View Menu, Signup, Top Widget & Bottom Widget, Facebook;011000=Signup & Top Widget;011100=Signup, Top Widget & Bottom Widget;011110=Signup, Top Widget & Bottom Widget, Facebook;001100=Only Widgets (top & bottom);001110=Widgets (top & bottom) & Facebook;001111=Widgets (top & bottom), Facebook, Twitter;000110=Bottom Widget & Facebook;000111=Bottom Widget, Facebook & Twitter;000011=Facebook & Twitter;111111=All (ViewMenu,Signup,WidgetTop,WidgetBottom,Facebook,Twitter)}

HomePagePostcodeOnly = will hide everything other than the postcode entry box

AdditionalHeaderAbove = HTML to display ABOVE the header inside of header-wrapper, but not inside header
 (if external HTML simply put "[xxxx.html]")
If linking to URLs, wrap in class "hfupd"

AdditionalHeaderTop = HTML to display ABOVE the header
 (if external HTML simply put "[xxxx.html]")

AdditionalHeaderBottom = HTML to display BELOW the header
 (if external HTML simply put "[xxxx.html]")

AdditionalFooterTop = HTML to display ABOVE the footer
 (if external HTML simply put "[xxxx.html]")

AdditionalFooterBottom = HTML to display BELOW the footer
 (if external HTML simply put "[xxxx.html]")

AdditionalCourseBottom = HTML to display BELOW the courses
 (if external HTML simply put "[xxxx.html]")

AdditionalJSHeader = Javascript to include in settings.js (if external JS simply put "[xxxx.js]")

AdditionalFooterText = Text to go in the footer

TimeDelay =

TimeZone delay. {12=(GMT+12) NZST - New Zealand Standard;11=(GMT+11)
;10=(GMT+10) ;9=(GMT+09) JST - Japan Standard Time;8=(GMT+08) ;7=(GMT+07)
;6=(GMT+06) ;5=(GMT+05) ;4=(GMT+04) ;3=(GMT+03) ;2=(GMT+02) EET - Eastern
Europe Time;1=(GMT+01) CET - Central European Time;0=(GMT) UTC - Dublin, Edinburgh,

Lisbon, London;-1=(GMT-01) ; -2=(GMT-02) ; -3=(GMT-03) ; -4=(GMT-04) AST - Atlantic Standard;-5=(GMT-05) EST - Eastern Time (US & Canada);-6=(GMT-06) CST - Central Time (US & Canada);-7=(GMT-07) MST - Mountain Time (US & Canada);-8=(GMT-08) PST - Pacific Time (US & Canada);-9=(GMT-09) ; -10=(GMT-10) ; -11=(GMT-11) ; -12=(GMT-12) International Date Line West}

LCID =

LCID ID (non-UK shop) {1078=Afrikaans - South Africa;1052=Albanian - Albania;1156=Alsatian;1118=Amharic - Ethiopia;1025=Arabic - Saudi Arabia;5121=Arabic - Algeria;15361=Arabic - Bahrain;3073=Arabic - Egypt;2049=Arabic - Iraq;11265=Arabic - Jordan;13313=Arabic - Kuwait;12289=Arabic - Lebanon;4097=Arabic - Libya;6145=Arabic - Morocco;8193=Arabic - Oman;16385=Arabic - Qatar;10241=Arabic - Syria;7169=Arabic - Tunisia;14337=Arabic - U.A.E.;9217=Arabic - Yemen;1067=Armenian - Armenia;1101=Assamese;2092=Azeri (Cyrillic);1068=Azeri (Latin);1133=Bashkir;1069=Basque;1059=Belarusian;1093=Bengali (India);2117=Bengali (Bangladesh);5146=Bosnian (Bosnia/Herzegovina);1150=Breton;1026=Bulgarian;1109=Burmese;1027=Catalan;1116=Chinese - United States;2052=Chinese - People's Republic of China;4100=Chinese - Singapore;1028=Chinese - Taiwan;3076=Chinese - Hong Kong SAR;5124=Chinese - Macao SAR;1155=Corsican;1050=Croatian;4122=Croatian (Bosnia/Herzegovina);1029=Czech;1030=Danish;1164=Dari;1125=Divehi;1043=Dutch - Netherlands;2067=Dutch - Belgium;1126=Edo;1033=English - United States;0=English - United Kingdom;3081=English - Australia;10249=English - Belize;4105=English - Canada;9225=English - Caribbean;15369=English - Hong Kong SAR;16393=English - India;14345=English - Indonesia;6153=English - Ireland;8201=English - Jamaica;17417=English - Malaysia;5129=English - New Zealand;13321=English - Philippines;18441=English - Singapore;7177=English - South Africa;11273=English - Trinidad;12297=English - Zimbabwe;1061=Estonian;1080=Faroese;1065=Farsi;1124=Filipino;1035=Finnish;1036=French - France;2060=French - Belgium;11276=French - Cameroon;3084=French - Canada;9228=French - Democratic Rep. of Congo;12300=French - Cote d'Ivoire;15372=French - Haiti;5132=French - Luxembourg;13324=French - Mali;6156=French - Monaco;14348=French - Morocco;58380=French - North

Africa;8204=French - Reunion;10252=French - Senegal;4108=French -
Switzerland;7180=French - West Indies;1122=Frisian - Netherlands;1127=Fulfulde -
Nigeria;1071=FYRO Macedonian;1110=Galician;1079=Georgian;1031=German -
Germany;3079=German - Austria;5127=German - Liechtenstein;4103=German -
Luxembourg;2055=German - Switzerland;1032=Greek;1135=Greenlandic;1140=Guarani -
Paraguay;1095=Gujarati;1128=Hausa - Nigeria;1141=Hawaiian - United
States;1037=Hebrew;1081=Hindi;1038=Hungarian;1129=Ibibio -
Nigeria;1039=Icelandic;1136=Igbo -
Nigeria;1057=Indonesian;1117=Inuktitut;2108=Irish;1040=Italian - Italy;2064=Italian -
Switzerland;1041=Japanese;1158=K'iche;1099=Kannada;1137=Kanuri -
Nigeria;2144=Kashmiri;1120=Kashmiri
(Arabic);1087=Kazakh;1107=Khmer;1159=Kinyarwanda;1111=Konkani;1042=Korean;1088=I
(Cyrillic);1108=Lao;1142=Latin;1062=Latvian;1063=Lithuanian;1134=Luxembourgish;1086=
- Malaysia;2110=Malay - Brunei
Darussalam;1100=Malayalam;1082=Maltese;1112=Manipuri;1153=Maori - New
Zealand;1146=Mapudungun;1102=Marathi;1148=Mohawk;1104=Mongolian
(Cyrillic);2128=Mongolian (Mongolian);1121=Nepali;2145=Nepali - India;1044=Norwegian
(Bokmål);2068=Norwegian
(Nynorsk);1154=Occitan;1096=Oriya;1138=Oromo;1145=Papiamentu;1123=Pashto;1045=Pc
- Brazil;2070=Portuguese - Portugal;1094=Punjabi;2118=Punjabi (Pakistan);1131=Quecha -
Bolivia;2155=Quecha - Ecuador;3179=Quecha - Peru;1047=Rhaeto-
Romanic;1048=Romanian;2072=Romanian - Moldava;1049=Russian;2073=Russian -
Moldava;1083=Sami (Lappish);1103=Sanskrit;1084=Scottish
Gaelic;1132=Sepedi;3098=Serbian (Cyrillic);2074=Serbian (Latin);1113=Sindhi -
India;2137=Sindhi - Pakistan;1115=Sinhalese - Sri
Lanka;1051=Slovak;1060=Slovenian;1143=Somali;1070=Sorbian;3082=Spanish - Spain
(Modern Sort);1034=Spanish - Spain (Traditional Sort);11274=Spanish -
Argentina;16394=Spanish - Bolivia;13322=Spanish - Chile;9226=Spanish -
Colombia;5130=Spanish - Costa Rica;7178=Spanish - Dominican Republic;12298=Spanish -
Ecuador;17418=Spanish - El Salvador;4106=Spanish - Guatemala;18442=Spanish -
Honduras;22538=Spanish - Latin America;2058=Spanish - Mexico;19466=Spanish -
Nicaragua;6154=Spanish - Panama;15370=Spanish - Paraguay;10250=Spanish -
Peru;20490=Spanish - Puerto Rico;21514=Spanish - United States;14346=Spanish -
Uruguay;8202=Spanish -

Venezuela;1072=Sutu;1089=Swahili;1053=Swedish;2077=Swedish -
Finland;1114=Syriac;1064=Tajik;1119=Tamazight (Arabic);2143=Tamazight
(Latin);1097=Tamil;1092=Tatar;1098=Telugu;1054=Thai;2129=Tibetan -
Bhutan;1105=Tibetan - People's Republic of China;2163=Tigrigna - Eritrea;1139=Tigrigna -
Ethiopia;1073=Tsonga;1074=Tswana;1055=Turkish;1090=Turkmen;1152=Uighur -
China;1058=Ukrainian;1056=Urdu;2080=Urdu - India;2115=Uzbek (Cyrillic);1091=Uzbek
(Latin);1075=Venda;1066=Vietnamese;1106=Welsh;1160=Wolof;1076=Xhosa;1157=Yakut;1
7=Zulu}

DelayOpeningHours = delay todays opening hours by x minutes. <i>[default:0]</i>

EarlyOpeningHours = ends todays closing times early by x minutes. <i>[default:0]</i>

IgnoreOFLDelayEarlyOpeningHours = will ignore the OFL delay for the last OFL drop down
option (EarlyOpeningHours must be setup)

DisablePcodeLookup = {0=fully enabled; 1=no housenumbers;2=off}

DisablePcodeEntry = disables the postcode entry.
Mainly used for non-UK shops.

ForceBeforeOrder = overwrites the BeforeOrder message sent from InTouch

ForcePostCodeAreas = overwrites PostCodeAreas sent from the shop
(DisablePcodeEntry
must be 0)

ExcludePostCodeAreas = Will exclude certain postcode zones (regardless of if mileage or
PostCodeAreas)

IncludePostCodeAreas = Will include certain postcode zones (regardless of if mileage or
PostCodeAreas)

OutOfDeliveryAreaMsg = replace the default "We do not deliver to this postcode."

IntouchAutoForceCloseMsg = replace the default "We are unable to accept online orders at the
moment, please try calling the shop."

ChangeMileageBetweenTimes = will overwrite delivery mileage during set times. Must be
formatted "[days_active]/[start_time]- [end_time]=[max_miles]" (e.g. 1111100/1100-1400=1)

AllowNationalCourses = will allow postcodes out of the delivery area and show the selected
courses

DisableHeaderLogo = will not display header logo

HideShopTitle = will not display Shop_Name & Shop_Tel

HideProgressBar = will not display the progress bar (Start, Order, Checkout)

StartOrderMsgPopup = will popup on start of order with the text

PreOrderMsgPopup = will popup on postcode page

ExplodeAllCourses

= {0=Disabled,1=All courses on one page (no other course buttons),2=View All course at the top of the course list}

AnyHeightCourses = will not equal height on the course buttons

ForceCoursePosition = Where the course buttons are located {0=system default; 1=force on sidebar; 2=force on top}

AlwaysOnline = Force online (if within opening hours)

CollectionOnly = To only allow collection orders

CollectionOnlyAtLunch = will only allow collections in the mid-day break

CollectionOnlyUntil = time to only allow collection orders from {0=Not

Enabled;0800=08:00;0830=08:30;0900=09:00;0930=09:30;1000=10:00;1030=10:30;1100=11:00;1300=13:00;1330=13:30;1400=14:00;1430=14:30;1500=15:00;1530=15:30;1600=16:00;1630=18:00;1830=18:30;1900=19:00;1930=19:30;2000=20:00;2030=20:30;2100=21:00;2130=21:30;2330=23:30}

CollectionOnlyFrom = time to only allow collection orders from {0=Not

Enabled;0800=08:00;0830=08:30;0900=09:00;0930=09:30;1000=10:00;1030=10:30;1100=11:00;1300=13:00;1330=13:30;1400=14:00;1430=14:30;1500=15:00;1530=15:30;1600=16:00;1630=18:00;1830=18:30;1900=19:00;1930=19:30;2000=20:00;2030=20:30;2100=21:00;2130=21:30;2330=23:30}

CollectionOnlyDays = This control will only allow CollectionOnly to be used on certain days
e.g. 1111111=All Days, 1111000=Mon-Thurs, 0000111=Fri/Sat/Sun (default:1111111)
If you want collection only for weekdays CollectOnly **must** be enabled with this option

CollectionOnlyOnDays = will force CollectionOnly on certain days
e.g. 1111111=All Days, 1111000=Mon-Thurs, 0000111=Fri/Sat/Sun (default:0000000)

DeliveryOnly = This will only allow deliveries - no collections.

DeliveryOnlyOnDays = will force DeliveryOnly on certain days
e.g. 1111111=All Days, 1111000=Mon-Thurs, 0000111=Fri/Sat/Sun (default:0000000)

DeliveryOnlyFrom = time to only allow delivery orders from

SiteClosedOnDays = will force the shop CLOSED on certain days (this will force OFL & OFL_PreOrderDays off)
e.g. 1111111=All Days, 1111000=Mon-Thurs, 0000111=Fri/Sat/Sun (default:0000000)

SiteClosedOnDaysClosedMsg = will change the "Sorry - you are not able to order today" message on the closed screen when using SiteClosedOnDays

WeekdayLabelName = CSV with 7 fieldnames to replace the day of week

ForceShop_Close2 = same format as Shop_Close2

ForceShop_Open2

= same format as Shop_Open2

ForceApp_Email = Overwrites Email field on Shop Settings file

ForceApp_Tel = Overwrites Tel field on Shop Settings file

ForceApp_Website = Overwrites Website field on Shop Settings file

Overwrite_PostCodeDelivery = Overwrites PostCodeDelivery in settings file

Overwrite_MinOrder = Overwrites default MinOrder from InTouch. *This wont change any minimum delivery charges*

Overwrite_DelSettings = Overwrites DelSettings in settings file.

Overwrite_DiscountMin = Overwrites DiscountMin in settings file.

UPEDayCount = Will set the number of days to look for previous PromoCode use.

AppID_iOS =

AppID_Android =

Force_Android_Update = If running IntegerMobileApp2 this will force CheckApp to fail and require a new install of this AppID

ExternalScriptEveryPage = Javascript to be run on every page (along side Google Analytics)
[ADMINONLY]

CompletedOrderScript = Any scripting you want to be run on the BuildINT function (just after OrderComplete)

HideWidgetsOrdering = will not display WidgetTop or WidgetBottom

WidgetTop = HTML to display ABOVE the basket *(if image put "[xxxx.jpg]")*

WidgetBottom = HTML to display BELOW the basket *(if image put "[xxxx.jpg]")*

AdvancedFinishedOrder = Will use finished page v8.2

FinishedOrderURL = URL to redirect to on order complete

FinalMessageTitle = Text to replace the header on the complete page (default "Your order has been sent to the shop!")

FinalMessageText = Text to replace the "Thank you for your order! Your order has been sent to the shop. If you have any questions about your order please call us on <TEL>"
Will overwrite FinalMessage setting from InTouch

FixedCoursesScroll = px of jump.

FixedBasketScroll = px of jump.

FixedHeaderScroll = px of jump.

FixedMobileHeaderScroll = px of jump.

FixedMobileNavScroll = px of jump.

AdvancedPromoCode = {0=Disabled;1=disable standard promo codes and only use advanced

setup;2=vittoriagroup promo code integration}

PromoMaster = (boolean) 1=will not use stockno, will use "Master" (requires AdvancedPromoCode=1)

DisablePromoCode = will not display promocode entry box

MassPromoAllowedDays = Configuration for "mass promos". This control will only allow mass promotional codes to be used on certain days
e.g. 1111111=All Days, 1111000=Mon-Thurs, 0000111=Fri/Sat/Sun

MassPromoTimeoutDays = When a mass promo code is generated (without an expiration date) this is the default number of days from today for the codes to be active for (default: 30)

InvalidCodeOverwrite = When a code fails, automatically give this code minlen,Discount, Min
e.g.5,0.2,1000

DisplayUpsellingPrompt = If enabled then will display upselling page inbetween order -> complete order. (CSS REQUIRED)

DisableUpsellingOrderWindow = Will not display Upselling prompt on order window

ExplodeUpselling = {0=Default (select boxes and continue/back buttons on upselling page); 1=Change select box into a list and puts continue/back buttons on orderwindow;2=Select boxes with continue/back buttons on orderwindow}

Enable_w3w = {0=Silently Enabled (once InTouch v2.3.001);1=Enabled allowing input;2=Disabled Fully}

W3W_Level = {0=Enabled but must find a match on a road (no parks/beaches) (Default);1=Disabled;2=Enabled without address/postcode requirement}

BASKET

NoCountOnOrderWindow = Will not display the count above the order window

CountOnlyMainItems = Will not count sub items / choices on count (should have NoCountOnOrderWindow set due to wrong count)

NoBracketsOnCountOnOrderWindow = Will not put the brackets round the count on the basket

DisableBoldItemsOnBasket = will not highlight any item in the basket with exclude from discount (CheckEFDItems - ordering.js)

BasketAboveCourses = Basket will be moved from Sidebar to above courses
(not on mobile or complete page)

OpeningTimesOnOrderWindow = will display opening times above basket

ShopAddressCRLF = will put each line of shop address on a new line

NoTimerCountdown = will not display the "30 minute till close" countdown at the top of the

basket

DisableGroupingItems = will not group toppings,cooking notes & choices together (each gets own line)

QuantityInCookingNotes = will disable cooking notes & send quantity in the cooking notes

AlwaysAllowDiscount = Will apply the full discount (no cap at min order)

RoundDownDiscount = value to round DOWN the discount

OldStyleWithCustomiseQty = will disable onclick item customise, and remove qty from customise window

ForceNoMealDealDiscount = will overwrite NoMealDealDiscount

AllowPointSpendWithFreeItem = Will allow a free item and points spend. Default will not remove free item if point spent

QtyInputBox = Will turn the qty drop down list into an input box

QtyDropList = By default quantity drop down goes to 10, this option will set the default limit

OFL

OFLTimeSelectionIncNow = Will include ASAP as the top option in the OFL box (not in use any more)

DisableASAP = Will remove ASAP option from OFL box ****NEEDS OFL ENABLED****

HideOFL = if OFL is disabled this will hide the OFL box (will work but mainly depreciated)

OFL_PreOrderDays = will enable ofl day selection

OFL_Force = Force Order For Later
<i>Enable customers to order for later</i> {0=SET FROM INTOUCH; 1=will FORCE OFL ON; 2=will FORCE OFL OFF} (stylewide)

OFL_ForceOffOnDays = Will force OFL OFF on days marked with 1 (e.g. to turn off OFL on Fri/Sat it would be 0000110)

OFL_HoldTime = Hold off Orders for Later until time
e.g. 1545

OFL_Delay = minutes to delay the drop down OFL selection from now
<i>[default:30]</i>

OFL_MaxPerSlot = will only allow this number of orders per OFL slot

OFL_NoSlotsBetween = iTime-iTime (e.g. 1430-1730)

OFL_CollectOnlyBetween = iTime-iTime (e.g. 1430-1730)

OFL_Increments = minutes between OFL slots
<i>[default:15]</i> To ensure it works correctly with MaxPerSlot it must be either 15 (default), 30 or 60.

OFL_OnlyWhenOnline = only allow OFL orders when the shop is ONLINE.

OFL_XmasIgnore = The OrdersForLater settings during the Xmas/New Year. {0=DEFAULT - disables from 24/12-02/01 (Integer Recommendation); 1=Disabled between 22/12-27/12;

2=Disabled between 31/12-02/01; 3=OFL Enabled}

OFL_PreOrderDisabled = {0=OFL available anytime;1=disable OFL before the shop is open;2=disable OFL once shop is open}

OFL_PreOrderDelayDisable = {0=Default config;1=will set the OFL delay to 0 if pre-ordering (before OFL_Delay);2=will only set OFL delay to 0 for last slot only;3=will only set OFL delay to 0 for FIRST slot only}

OFL_PreOrderDelayTime = minutes to delay the first & last OFL option from open / close times.

OFL_PreOrderCollectionDelay = will set the OFL delay to 0 if pre-ordering for collection

OFL_CollectionOnlyMins = will only allow collection for now & x minutes

OFL_CollectionOnlyEOD = minutes to force collection from the closing hours

OFL_FirstLastSlot = {0=Default config;1=sets FIRST OFL slot to 0;2=set LAST OFL delay to 0;3=set OFL delay to 0 for FIRST and LAST slots}

Label_NowButton = Will replace the default "Now" on the Order for now or later page.

UAC

UAC_Disable = Turns off user account system (UAC)

UAC_Position = The location of the User Account box {0=Header bar;1=OrderWindow (Basket)}

UAC_DisablePreviousOrders = will not show the previous orders button

UAC_DisablePreviousOrdersDays = disables reordering previous order from certain days, seperated by a comma. e.g. "1,7" for Monday & Sunday - will allow if the order was placed on that day

UAC_DisablePreviousOrdersBefore = date dd/mm/yy to not allow previous orders before (if menu had wild changes, etc)

UAC_DisablePointDelay = removes next day wait on points just received

UAC_QuickReorder = Enables 1-click reorder of last order

UAC_QuickReorderTopOfCourse = will put LAST ORDER at the beginning of the courses. (CSS REQUIRED)

UAC_QuickReorderPreOrder = will put the "Welcome back <NAME>. Repeat your last order?" at the top of the preorder stage

UAC_SeperateLoginPage = will not have the hidden login box, will take the customers to the seperate pages.
(CSS REQUIRED)

UAC_EnableMultiAddress = will enable 2 additional address fields

UAC_RegistrationEmail = either HTML or [email.html]

UAC_SL_Licence = This will ensure the points report email looks up the postcode of users beffore

including in report *ONLY TO BE USED ON _shops/ LEVEL*

SocialLogin = Social (Facebook/Google) Login {0=Default (Non-Bespoke Enabled);1=Enabled;2=Disabled}

SocialLogin_Google = id

SocialLogin_Facebook = id

UAC_Signup_Title = Replaces the default "Register with [Shop_Name]!"

UAC_Signup_Prompt = Replaced the default "You have been registered to our online system" popup text when signup is successful

UAC_Signup_Email_Subject = Sets the subject for the email when a user registers (default:"Thanks for signing up!")

UAC_Signup_Email_Preheader = Text to be displayed as a preheader text within the email (visible on mobiles)

UAC_Signup_Email_Additional_Text = Will replace <<ADDITIONAL_BOX_TEXT>> on outgoing UAC signup email

UAC_CompleteMsg_Free = [AVAILABLEPOINTS]

UAC_CompleteMsg_PointsOrFree = [POINTS FORTHIS ORDER]

UAC_CompleteMsg_PointsOrSpend = [POINTS AMOUNT] [POINTS FORTHIS ORDER] [AVAILABLEPOINTS]

UAC_CompleteMsg_Points = [POINTS FORTHIS ORDER]

UAC_CompleteMsg_StopPoints = [SPENDPOINTS]

UAC_CompleteMsg_RegisterEarn = [POINTS FORTHIS ORDER]

UAC_DOBEnabled = Will store the DOB

UAC_Question1 = Question asked on registration. For multiple choice "[option1,option2,option3]". If a required questions begin with * - e.g. "*What is your status?[Single,Married,Divorced]"

UAC_Question2 = Same as UAC_Question1

UAC_Question3 = Same as UAC_Question1

UAC_Question4 = Same as UAC_Question1

UAC_Question5 = Same as UAC_Question1

UAC_Question6 = Same as UAC_Question1

UAC_Question7 = Same as UAC_Question1

UAC_Question8 = Same as UAC_Question1

UAC_Question9 = Same as UAC_Question1

UAC_GDPR_Prompt = Will replace the standard text for prompting users to update their accounts

for GDPR

UAC POINTS

UAC_PointSystem = The system is able to have a loyalty scheme

{0=Disabled;1=PointsPerOrder;2=PointsPerPound}

UAC_OfflinePoints = Enable points to be spent and redeemed in shop {0=Disabled;1=Scan & Generate/Spend on App;2=Scan on App only}

UAC_OfflinePointsTimeoutDays = If UAC_OfflinePoints is enabled, this will overwrite the default expiration (7 days)

UAC_PointControl = The system is able to have a loyalty scheme {0=Points for Collection & Delivery;1=Points *only* for Collection;2=Points *only* for Delivery}

UAC_PointValue = Value per point (in pence) to redeem.

UAC_PointsPer = Dependant on UAC_PointSystem - will either give x points per order or x points per pound.

UAC_RoundPointsTo = Will round the points calculation to the nearest £x {0=No rounding;500=£5;1000=£10;2000=£20}

UAC_DoublePointsUntil = Used for promotional time only - will double UAC_PointsPer until the date entered (inclusive). If between dates put DD/MM/YY-DD/MM/YY

UAC_PointsOnlyAbove = the min basket amount (in pence) required before it will issue points (0=no amount)

UAC_SignupPoints = Free points when the customer registers.

UAC_PointRedeemUptoMinOrder = Will only allow points to be spent upto the min order

UAC_MinPointsToRedeem = Minimum amount of points required before the redeem option is available

UAC_MaxPointsToRedeem = 0: default to £10 equivalent, 1: no limit, >1 the number of points allowed to redeem at once.

UAC_MaxPointsToReceive = 0: no limit, 1: default to £10 equivalent, >1 the number of points allowed to receive at once. (only available when UAC_PointSystem=2)

UAC_RedeemAvailableAbove = the min basket amount (in pence) required before allowing a redeem option (0=no amount)

UAC_NoPointsOnStarItems = Will remove star items from points calculation when giving to customers. ForceNoMealDealDiscount / NoMealDealDiscount needs to be set to exclude Meal Deals

UAC_NoPointsOnPromoOrders = Will not give points when a promo code is used

UAC_DisplayPointsNotUpsell = will hide basket upsell and replace with "You could earn X points

with this order"
(CSS REQUIRED)

UAC_DisplayPointBox = Displays to user the point breakdown during ordering (requires a pointsystem) {0=Below Basket;1=Above Basket;2=Disabled}

UAC_PointDisplayTemplate = Different template for UAC_DisplayPointBox

(templates\pointdisplay\default.html)
Can only be used with UAC_DisplayPointBox

UAC_DisplayPointsText = will replace default text "You [WILLCOULD] earn [POINTS] points with this order"

UAC_PointEmails = points=[email.html],points=EMAIL SUBJECT=[email.html],points=EMAIL SUBJECT=[email.html] e.g.

10=[10pointemail.html],20=[20pointemail.html],30=[30pointemail.html]

UAC_Winner = will enable Weekly UAC Winner

UAC_Winner_Day = Day which a winner will be picked (at

8am){1=Mon;2=Tues;3=Wed;4=Thurs;5=Fri;6=Sat;7=Sun}

UAC_Winner_Amount = amount in pence to be credited to winner's account

UAC_Winner_EmailConfirm = Will send confirmation to an email address of which user has won the week's competition

UAC_Winner_Licence = Licence to look up all orders (can be HeadOffice numbers)

COMPLETEORDER

DisplayOrderWindowPrompt = If enabled then will display orderwindow (basket) inbetween order -> complete order.

PopupDeliveryCharge = If enabled a popup will appear with the delivery charge

CompleteTitleTxt = Replace the standard "Checkout" title on the complete page

CompleteButtonTxt = To replace the standard "Complete Order" button text (on basket)

NoTotalOnCompleteButton = will add a total row to the bottom of the order basket

CompleteAdditionalMessage = A message to be displayed at the top of the complete order page

DeliveryNotesTxt = To replace the standard "Delivery/Collection notes" label.

DisableDeliveryNotes = To remove the "Delivery/Collection notes" box

NoFreeltemWhenMD = Will not prompt for a free item if there is a MealDeal in the basket.

NoFreeltemWhenDiscount = {0=(default) will always offer free item;1=Free item not available when points spend;2=Free item not available when any discount}

FreeltemNotEFD = Will allow free items to be added without star items (excluded items)

CompleteFormValidation = Select which complete order fields are required to be validated

[HouseNo,Street,Town,Postcode,Tel] [DEFAULT is 11111] {11111=FULL Validation (House Number, Street, Town, Postcode, Tel);10000=Only House Number;11000=House Number & Street;11100=House Number, Street & Town;11110=House Number, Street, Town & Postcode;01000=Only Street;01100=Street & Town;01110=Street, Town & Postcode;01111=Street, Town, Postcode & Tel;00100=Only Town;00110=Town & Postcode;00111=Town, Postcode & Tel;00010=Only Postcode;00011=Postcode & Tel}

CompleteFormLabel_Name = Replaces default text for this field "Name or Company"

<i>(name always required)</i>

CompleteFormLabel_Address1 = Replaces default text for this field "Building/House/Flat"

<i>(if 0 - will not display)</i>

CompleteFormLabel_Address2 = Replaces default text for this field "Street"
<i>(if 0 - will not display)</i>

CompleteFormLabel_Address3 = Replaces default text for this field "Town"
<i>(if 0 - will not display)</i>

CompleteFormLabel_Postcode = Replaces default text for this field "Postcode"
<i>(if 0 - will not display)</i>

CompleteFormLabel_Email = Replaces default text for this field "Email"
<i>(always required)</i>

CompleteFormLabel_Tel = Replaces default text for this field "Telephone"
<i>(if 0 - will not display)</i>

CompleteAgreeTerms = will force customer to select YES before completing order.

NoCutleryOption = will force customer to opt out of cutlery.

NoCutleryOption_Text = if using NoCutleryOption this will change the word from the default "cutlery"

PlasticBagCharge = pence of a plastic bag

PAFDB = will use PAF DB for postcode lookup

PAFDB_LatLng = will use PAF DB LatLng only (when WCI pcode is too off)

PAYMENTS

IntegerPayments = Enabling this will use Integer Payments for processing
If shop wants to pay service charge then select no ServiceCharge {0=IntPay Disabled;1=IntPay ENABLED (with ServiceCharge);2=IntPay ENABLED (no ServiceCharge)}

PreCCMsg = To replace the standard payment message.

DisablePayPal = will disable PayPal for this site (if enabled)

Overwrite_CC Pay

= Overwrites CCPay in settings file.

Overwrite_CCPayOnly = Overwrites CCPayOnly in settings

DisableCCPay = disabled any online payment (leaves cash only)

OnlyBillingDelivery = remove option of billing address.

CCDiscount = Discount for CC payments. This will overwrite any additional charges for CC payments. (e.g. "0.10")

CCOnlyOverAmount = Force CCOOnly when over X pence

CashOnlyUnderAmount = Disable CC when under X pence

CollectionCashOnly = Will enable cash only for collection (or re-enable cash option) {0=Not Set;1=Cash Only when Collection;2=Cash available when Collection (if disabled elsewhere)}

CollectionDiscount = % discount if the order is for collection

AppDiscount = % discount if the order is placed in our app
(Integer UK v2 Apps only)

DeliveryDiscount = % discount if the order is for delivery

FacebookDiscount = If the referrer is "facebook.com" then it will apply a discount

ShopOnlineDiscountDays = Days to allow the discount set from the shop/FacebookDiscount/DiscountUntil (e.g. 1111100 for weekdays)

DiscountUntil = Set discount and iTime to allow until (e.g. "0.1;2100" = 10% off until 9pm)

MealPrepConfig = <string>,<charge>,<deliverydays> - <string> = in the title, <charge> = Y x deliverycharge, <deliverydays>= 135 (mon,wed,fri) e.g. "Meal Prep,2,13" (double delivery charge on meal prep on monday (1) and wednesday (3))

MealPrepConfigDesc = Text to go in the choice screen of the meal prep

ThreeDOnly = reject any card that is not enrolled in the 3D secure system.

SecureTrading/SagePay Required

ThreeDDisabled = disables 3D secure
SecureTrading/SagePay Required

SP_Amex = enable the AMEX option in the payment type (AMEX MID REQUIRED)

SP_MOTO = will force the SP_VendorName to XXXXINT (where XXXX is licence)
can ONLY be used for CallCentre

PAYMENT_RejectCheck = Configure the system to reject payments when Address / Postcode match {0=Only allow payments when a match of CV2 and Postcode;1=Only allow payments when a match of CV2, Postcode and Address (FULL);2=Only allow payments when a match of CV2 (postcode & address match not required)}

PAYMENT_CardStore = Configure the system to allow tokenisation of User Accounts {0=Tokenisation ENABLED for 5% customers;1=enables tokenisation (for non-5%

shops);2=disables tokenisation (for 5%)}

ST_EnableAddressCheck = [DISCONTINUED] 1=enable verifying of address
<i>This will only allow orders whereby the address match the address</i>
If OnlyBillingDelivery is enabled it will only allow allow delivery to billing address

ST_DisablePostcodeCheck = [DISCONTINUED] 1=disables verifying of postcode
<i>By default the billing postcode must match - this will disable</i>

ST_DisableCardStore = [DISCONTINUED] 1=disables the ability to store customers payment details (5% shops only)

ST_EnableCardStore = [DISCONTINUED] 1=enables card store for customers payment details (non-5% shops only)

MEALDEALS

SplitMealDealCourse = will split into mealdeals using MealDealCourse (seperate by semi-colon)

MealDealButtonLabel = will replace the default "Meal Deal" text on the course button (if 0 will not display on web)

MealDealFirst = will put the Meal Deal button as the first course

MealDealV2 = enabled new Meal Deals modules (automatic above 19666)

MealDealHalfHalfDisable = will disable half half on meal deals

MealDealHideWhenNoDeals = will hide the Meal Deal button on the course bar when there are no meal deals.

MenuFormatV2 = TESTING PURPOSES ONLY -

MealDealIgnoreStarChoiceItems = will ignore all Meal Deal choice courses with the first item containing **

MealDealDescriptionText = will display text below "Meal Deals"

MealDealForceToppings = will explode toppings on Meal Deal Review.

NoPromosWithMealDeals = will not allow promo codes to be entered if a meal deal is on the order

MENU

DisableViewMenuMode = Will force every viewmenu to start order

MenuPagePreload = **BETA** Will preload the menu pages for no load time when flicking courses

DisableImages = product images are not shown (if available)

UseImageSet

= {0=names (stripped); 1=prod ID; 2=stocknumber}

ImageExt = All stock images must be the same file type. {.jpg=JPG;.gif=GIF;.png=PNG}

ImagePopup = image will popup when clicked

MenuItemTemplate = will load the specific MenuItemTemplate (if null will load standard.menuitem)

PizzaMenuLayout = {0=Default menu layout; 1=will display the pizza buildup on the pizza page; 2=Exploded list; 3=Pizza Grid}

OtherMenuLayout = {0=Default menu layout; 1=Exploded list}

CoursesHiddenWhenDelivery = Courses seperated by comma which you only want visible when Collection , e.g. "1,2,3"

CoursesHiddenWhenCollection = Courses seperated by comma which you only want visible when Delivery , e.g. "1,2,3"

DeliveryCoursesOnly = Courses seperated by comma which will display but wont let you add when collection e.g. "1,2,3"

MenuTextButton = Replace default "Menu" button text on mobile

DisableCustomiseOnCourses = Courses seperated by comma which items are not permitted to be customised (will add inactive on the customise button) e.g. "1,2,3"

DisableAutoCustomiseOnCourses = Courses seperated by comma which items will not popup customise screen automatically e.g. "1,2,3"

DisableChoiceDropDown = Will not force SELECT boxes on choice items (overwrites Choice111Options)

DisableQuantityOnMenu = disables quantity buttons on menu

EnableQuantityOnMenu = will display quantity buttons on menu (was standard before v8.5)

EnableSearchItems = will enable search on site (only available for StyleZ)

GrandchildSelectText = will change default "Select side;No Side Dish" on menu subs subs

MenuDisplayPrice = will change the default price (£0.00) {0=DEFAULT (£0.00);1=No pence (£0);2=No pence/currency (0)}

DisableMealDeals = disables meal deals button from courses (overwrites InTouch)

DisableToppings = toppings option will never show. [NOT AVAILABLE YET]

StarToppingsAreBases = will group all items marked with * in a seperate base selection

HashToppingsAreExtras = will group all items marked with * in a seperate EXTRAS topping

DisableHashToppingsMD = if HashToppingsAreExtras is used, this option will disable it in meal deals

NoFreeToppingsBands = will only display toppings when parent item has topping price for the

band.

DisableItemsEarly = Character to look out for (in description) (DisableItemsMsg is required)

DisableItemsAfter = Time (e.g. "1200") (DisableItemsMsg is required)

DisableItemsBefore = Time (e.g. "1200") (DisableItemsMsg is required)

DisableItemsMsg = Message to display in the popup REQUIRED

AddIsCustomise = no customise buttons, only add

RemoveItemPrefix = XYZ (X=opener,Y=closer,Z=maxLength)

RemoveAddButtonOnMenu = menus separated by a comma

ExcludePrefixFromDeal = Character to look out for (in description) - all marked items will be removed from any promo deals.

DisableHalfHalf = will disable Half Half online.

SortPizzaLabelSize = will sort the Pizza Sizes alphabetically

ChoicesAlphabetical = will sort the Choice options alphabetically

RemoveFromPrefixOnChoices = will remove "from " on a choice item

RemovePricePrefixOnChoices = will remove the price for choice items (if not a set price)

PrefixMaxItems = will limit certain items where the product description is prefixed.

<prefix>,<maxqty> e.g. %,1

NoHalfPrefix = will not allow half half pizza where the product description contains this

HalfHalfAtBottom = moves the "Fancy 2 different pizzas" bar to the bottom of the menu page

HideHalfHalfOnMenu = Courses separated by comma to hide HalfHalf option (if pizzas in menu)
e.g. "1,2,3"

FooterKey_Disabled = Will not display veg/hot/18/other key at bottom of page

MenuKey_Veg = To replace the standard tooltip "This item is suitable for vegetarians"

FooterKey_Veg = To replace the standard footer text "Vegetarian"

MenuKey_Hot = To replace the standard tooltip "This item is hot/spicy"

FooterKey_Hot = To replace the standard footer text "Hot"

DisableFooterAge = Will hide the Over 18 footer key

MenuKey_Age = To replace the standard tooltip "This item is for over 18s only"

FooterKey_Age = To replace the standard footer text "Over 18s only"

MenuKey_Vegan = To replace the standard tooltip "This item is suitable for vegans"

FooterKey_Vegan = To replace the standard footer text "Vegan"

MenuKey_Allergen = To replace the standard tooltip "This item contains allergens" (must have EnableAllergen enabled)

FooterKey_Allergen = To replace the standard footer text "Allergen" (must have EnableAllergen

enabled)

AutoBOGOF = Enable BOGOF

AutoBOGOF_Type = {0=pizzas;1=specific items}

AutoBOGOF_PizzaSize = if AutoBOGOF_Type=pizzas this option can specify which sizes are not eligible (1 for not eligible, 0 for eligible) - e.g. 1,1,1,0,0

AutoBOGOF_StockNo = all stocknumbers which qualify (comma seperated)

AutoBOGOF_Option = {0=both delivery & collection; 1=delivery only; 2=collection only}

AutoBOGOF_AdditionalCharge = Additional charge to be applied for the BOGOF

AutoBOGOF_FBRefID = fbref required to validate code

AutoBOGOF_Allowed = {0=mobile/web/app; 1=web only; 2=mobile only; 3=mobile & app only; 4=app only}

AutoBOGOF_DiscountStop = If enabled it will not allow any further discount on the order if a BOGOF is applied

DefaultMenu = which course is the default menu when the system loads (99=Meal Deals)

HotOMeter = will enable the HotOMeter ([MED],[MILD],[HOT] in description)

ShowHideLunchCourseViewMenu = will always display all hidden courses when viewing menu

Lunch_Start = Time lunch menu starts

Lunch_End = Time lunch menu ends

Lunch_Course = Courses seperated by comma which are lunch courses, e.g. "1,2,3"

LunchCourse_Settings = {0=just hide lunch courses outside of lunch; 1=Only allow lunch courses at lunch}

LunchCourse_PostcodeSettings = Do not allow deliveries when shop is on lunch.

LunchCourse_Days = Days to Enable Lunch Course (e.g. 1111100 for weekdays) - if not specified course will be hidden on those days

HideCourse_Start = Time HideCourse menu starts

HideCourse_End = Time HideCourse menu ends

HideCourse_Course = Courses seperated by comma which are to be hidden during the set hours, e.g. "1,2,3" (0=MealDeals)

HideCourse_Settings = {0=none;1=hide on delivery;2=hide on collection;3=either collection/delivery}

HideCourse_PopupMessage = If used, HideCourse will display hidden courses, but all add buttons will be removed

PizzaSizeTimeRestrict = to restrict LabelSize, seperate by semi-colon for multiple

FORMAT:[LabelSize_ID],[iTime_Start]-[iTime_End]; (e.g. "1,0900-1400;2;0900-1400;")

STORELOCATOR

SL_HeadOffice = .ho file

SL_HeaderTitle = to put text in on the header of the store locator page

SL_HeaderTel = to put tel in on the header of the store locator page

SL_ViewAllAtBottom = will put the view all stores button at the bottom of the locator

SL_HidePCBoxWhenLocated = will hide the whole sub-content-postcode div when a store is located

SL_AdvancedStoreInfo = enable v8.2 Advanced Store Information box (bottom of the page)

only available for StoreLocator sites

SL_AdvancedStoreTemplate = will load the specific template from templates\preorder

SL_AdvancedStoreInfo_Discount = string to display in the DISCOUNT box (if blank will use BeforeOrder msg from Branch) must have SL_AdvancedStoreInfo enabled

SL_AdvancedStoreInfo_Manager = String to display, e.g. "Manager: Name, manager@domain.co.uk"

EMAIL

OutgoingMail_Server = SMTP server to send emails through
<i>If not using Integer's mail servers</i>

OutgoingMail_User = SMTP Username
<i>If not using Integer's mail servers</i>

OutgoingMail_Pass = SMTP Password
<i>If not using Integer's mail servers</i>

EmailSentFrom = will change the REPLYTO email address.
<i>This might cause some of your emails to be marked as Spam</i>

EmailDeliveryTimeMessage = <<DELIVERYTIME2>> What time to display for default delivery time.
<i>Only for systems with Email Receipt</i>

EmailCollectionTimeMessage = <<DELIVERYTIME2>> What time to display for default collection time.
<i>Only for systems with Email Receipt</i>

EmailDeliveryMessage = <<DELIVERYCOLLECTIONMESSAGE>> What message to display for default delivery time.
<i>Only for systems with Email Receipt</i>

EmailCollectionMessage = <<DELIVERYCOLLECTIONMESSAGE>> What message to display for default collection time.
<i>Only for systems with Email Receipt</i>

EmailDeliveryMessage_OFL = <<DELIVERYCOLLECTIONMESSAGE>> What message to display

for OFL delivery time. [TIME] is replaced with OFL time
Only for systems with Email Receipt

EmailCollectionMessage_OFL = <<DELIVERYCOLLECTIONMESSAGE>> What message to display for OFL collection time. [TIME] is replaced with OFL time
Only for systems with Email Receipt

DisableDefaultEmailReceipt = if banner/standard this will disable the default V8 Order Confirmation email

DisableDefaultEmails = if banner/standard this will disable the default emails

DisableBackgroundOnEmails = if styleZ standard this option will disable the background being sent with emails

RemoveOFLDEmail = will remove the OFLD messages (top and bottom) on emails

SMSContact = a UK mobile number to send reports/IDP warnings (will overwrite Shop's SMS contact)

IDPWarningEmail = additional email address to send the IDP warnings to.

UACDailyPointsReportEmail = email address to send the daily UAC points report

UACWeeklyReportEmail = email address to send the weekly UAC report.

EmailShopOrderConfirmation = email address to send additional email confirmation to

DailyCustomersEmail = will send out emails\dailyfeedback.html every day

DailyCustomersEmail_DaysAfter = number of days after an order should a customer get an email (default: 1)

DailyCustomersEmail_EmailFrom = the email address to send from

DailyCustomersEmail_Subject = the subject of the email being sent to customers

DailyCustomersEmail_EmailReport = the email address to confirm the number of emails sent

PLUGINS

MailChimp_ListID = To obtain log into MailChimp, goto Lists > Select List > Settings > List name and defaults > List ID

MailChimp_APIKey = To obtain log into MailChimp, goto profile > Extras > API Keys > Create a Key

dotMailer_ID = Username for the API

dotMailer_Fields = Booleans for

fields:FIRST_ORDER_DATE, LAST_ORDER_DATE, NUMBER_OF_ORDERS, LIFETIME_ORDER_VALUE, BRAN (e.g. 11010)

dotMailer_Pass = Password for the API

VittoriaGroupPromos

= vittoriagroup promo code integration

GA_TrackingID = Google Universal Analytics Tracking ID
<i>e.g. UA-12345678-9</i>

GA_DomainName = Google Universal Analytics Domain Name
<i>ga('create', 'UA-12345678-9', '[GA_DomainName]')</i>
(GA_TrackingID is required)

GA_Linking = e.g. "'source.com', 'destination.com'"
<i>ga('require', 'linker');ga('linker:autoLink', [GA_Linking]);</i>
(GA_TrackingID is required)

GA_DisplayFeatures = will add "ga('require', 'displayfeatures');"

GA_TagManagerID = the tag manager ID <https://developers.google.com/tag-manager/>
[ADMINONLY]

GA_AdditionalJS = JAVASCRIPT ONLY! Used in such cases e.g. Tag Manager, i.e. <https://developers.google.com/tag-manager/>

FacebookPixelID = ID for the Facebook Pixel

FacebookPixelConfig = Setting for multi-site branches with separate pixels. This option will move the fbq('init') call from default to startorder

TwitterPixelID = ID for the Twitter Pixel

Customer Loyalty Points Scheme Options

Below is a list of all options that are available for the customer loyalty points, please have a read of through all the options (only some options will apply to you) and have a look at the below example which we find is the most common.

Example

I would suggest the following:

Points-Per-Pound

PointValue set as 10p

PointsPer set as 1 point per pound spent (£10 spent = 10 points = £1 value)

SignupPoints keep the default amount of 2 points.

MinPointsToRedeem set to 3 or 4 points

Loyalty Scheme Options

UAC_PointSystem

(The system is able to have a loyalty scheme for either points-per-pound, or points-per-order)

Default: points-per-pound spent

UAC_PointValue

(Value per point in pence)

Default: each point will have a value of 10p

UAC_PointsPer

(Points-per-pound / points-per-order)

Default: 1 point per pound spent (£10 spent=10 points=£1 value)

UAC_SignupPoints

(Free points when the customer registers)

Default: 2 points for new user signups (2 points=£2) *signup points can not be used on the first order assuming UAC_MinPointsToRedeem is set to higher than UAC_SignupPoints*

UAC_MinPointsToRedeem

(Minimum amount of points required by the customer before the redeem option becomes available)

Default: The customer must have 3 points before they can redeem them

UAC_MaxPointsToRedeem

(Maximum amount of points a customer can redeem in a single order)

Default value of £10 (10points)

UAC_MaxPointsToReceive

(The cut-off point for points collecting during a single order (only available when using Points-Per-Pound)

No minimum - recommended setting as it encourages parties and larger orders

UAC_RedeemAvailableAbove

(The minimum the order amount must equal before the redeem option becomes available)

UAC_NoPointsOnStarItems

(Can exclude certain "star" items from the point calculation - the items to be excluded are configured from within InTouch)

UAC_NoPointsOnPromoOrders

If enabled it will not give points when a promo code is used